

BEST DEALS 2023-2



SMART MEASUREMENT SOLUTIONS

Valid until 12.31.2023 | Prices exclude VAT

   #empoweringmakers



Discover more
[TESAtechnology.com](https://www.tesatechnology.com)

MICRO-HITE

The quick and accurate measurement

With adjustable hybrid multi-user panel
(touch screen + keyboard)

\$8910

4 YEARS WARRANTY

TESA TLC-BLE COMPATIBLE

SWISS ACCREDITATION
sas-admin.ch SCS 0001




Easy 2D-measurement due to clear graphic visualization



Efficient determination of the culmination points with the LED control light



Context-based help Intelligent user follow-up



00730074

Order number	EDP number	Description	Displacement	Maximum permissible errors* µm	Repeatability limit µm	Reg. price \$	Promo price \$
00730073	76639	MICRO-HITE 350	Manual	2+2L/1000	on surface : ≤ 1; on arc : ≤ 1	9350	8410
00730074	76640	MICRO-HITE 600	Manual	2+2L/1000	on surface : ≤ 1; on arc : ≤ 1	9900	8910
00730079	76624	MICRO-HITE+M 350	Motorized	1.8+2L/1000	on surface : ≤ 0.5; on arc : ≤ 1	9790	8810
00730080	76625	MICRO-HITE+M 600	Motorized	1.8+2L/1000	on surface : ≤ 0.5; on arc : ≤ 1	10450	9400
00760232	47410	Starter Kit, 4 elements				763	686

* L in mm

TESA-HITE



SCS certificate included



STARTING FROM \$3660



00730082

For workshops



1D measurement



Manual displacements



400mm – 700mm



TLC



Included SCS certificate



Measuring system: IP55
Panel: IP65



Order number	EDP number	Description	Maximum permissible errors µm	Repeatability limit µm	Air cushion	Reg. price \$	Promo price \$
00730082	76843	TH MAGNA 400	8	on surface: ≤ 3; on arc: ≤5	–	4077	3660
00730083	76844	TH MAGNA 700	8	on surface: ≤ 3; on arc: ≤5	–	4836	4350
00730084	76845	TESA-HITE 400	2.5 + 4 L/1000	on surface: ≤ 2; on arc: ≤3	✓	5846	5260
00730085	76846	TESA-HITE 700	2.5 + 4 L/1000	on surface: ≤ 2; on arc: ≤3	✓	6787	6100

* L in mm

TESA-CAL IP67

IP67: the highest protection at the best price



Order number	EDP number	Description	Measuring range in	Depth rod	Reg. price	Promo price
					\$	\$
00530140	76916	TESA-CAL IP67	0 - 6	■	168	134
00530141	76917	TESA-CAL IP67	0 - 6	●	168	134
00530140P	77146	TRIO-PACK TESA-CAL IP67	0 - 6	■	479	383
00530141P	77147	TRIO-PACK TESA-CAL IP67	0 - 6	●	479	383

Trio-Pack: 3 digital calipers

THINK BIG!

With the Trio-Pack each instrument is less than **\$128!**





TWIN-SURF

Ultra-compact portable roughness gage



06930014



01639065

Order number	EDP number	Description	Reg. price \$	Promo price \$
06930014	77162	TWIN-SURF roughness gage	3251	2920
06930015	77163	TWIN-SURF roughness gage, Bluetooth® version	3251	2920
01639065	78346	Support with articulated arm	1009	800

The TWIN-SURF (Bluetooth® version) is only available in countries where it is officially certified. Visit our website to know the list of countries in which this product is available.

RUGOSURF 20

Roughness gage that provides results from the 15 most common roughness parameters




06930013

Order number	EDP number	Description	Reg. price \$	Promo price \$
06930013	47126	RUGOSURF 20*	2420	2170

*Free software download

BESTEST dial test indicators

- Constant Clockwise Rotation - Indicator pointer always rotates clockwise, eliminating plus or minus confusion.
- Swiveling Point - Contact point can be set over 210° arc to measure hard-to reach areas.
- Monobloc (precision watch) Body Design - All pinions are mounted in jeweled bearings in an isolated assembly completely separate from outer body to maintain highest accuracies.



Order number	EDP number	Measuring range	Scale interval	Dial Ø	Circular scale	Contact point length	Reg. price	Promo price
		in	in	in			\$	\$
599-7032-3	45980	.008	.0001	1	0-4-0	½	341	255
599-7033-3	45981	.008	.00005	1½	0-4-0	½	394	295
599-7032-5	51737	.008	.0001	1	0-4-0	½	318	238
599-7033-5	51738	.008	.00005	1½	0-4-0	½	326	244

HITE-CHEK Jr.

- Includes 4" long, straight indicator rod and clamp
- Indicator mounting has rod 0.22" diameter on one end and a 0.25" on the other



Order number	EDP number	Description	Base dimensions in	Reg. price \$	Promo price \$
599-585-1	27547	HITE-CHEK jr. height transfer/squareness gage	3.5 x 2.5 x 1.3	653	489

BROWN & SHARPE MITI-MITE SMALL MAGNETIC BASES



Order number	EDP number	Description	Base assembly dimensions in	Measuring Force (N)	Reg. price \$	Promo price \$
599-7765	44919	MITI-MITE Heavy Duty with Fine Adjust	4.0 x 1.25 x .75	311	324	243
599-7760	44914	MITI-MITE Medium Duty	1.25 x 1.25 x 1.75	311	163	122
599-7761	44915	MITI-MITE Medium Duty with Fine Adjust	1.25 x 1.25 x 1.75	311	192	144

TWIN-T20

Digital display

- Robust, for laboratory and workshop use
- Large color screen for comfortable reading
- To connect 1 or 2 inductive probes and/or TESA measuring instruments (caliper, micrometer, dial gage, etc)
- Easy handling
- 4 different display styles
- Touch screen

\$1467

Order number	EDP number	Description	Reg. price	Promo price
04430014	76874	TWIN-T20 display	1834	1467



04430014

Giving way to the next generation

Upgrade to the TWIN-T20 for a modern and intuitive interface that simplifies reading measurement values. Gain access to multiple display views, presets with nominal values, new output options (TLC-BLE, USB HID), USB instrument connectivity, and customizable soft keys.



We reserve the right to make changes to our products, especially due to technical improvements and further developments. All illustrations and technical data are therefore without guarantee. All prices shown are non-binding price recommendations.