

**U-WAVE-TC compatible
Digimatic caliper/depth gage**

● Water / dust-proof type

Currently available/ Discontinued products	Product name	mm/inch	Order No.	Measuring range
Currently available products	ABSOLUTE coolant proof caliper	mm	500-712-20	0 - 150 mm
			500-713-20	0 - 200 mm
			500-714-10	0 - 300 mm
			500-716-20	0 - 150 mm
			500-717-20	0 - 200 mm
			500-718-11	0 - 300 mm
			500-719-20	0 - 150 mm
			500-721-20	0 - 150 mm
			500-722-20	0 - 200 mm
			500-723-20	0 - 150 mm
			500-724-20	0 - 200 mm
		500-727-20	0-150 mm	
		500-728-20	0-200 mm	
		mm/inch	500-720-20	0 - 6 in
			500-735-20	0 - 6 in
			500-736-20	0 - 8 in
			500-737-20	0 - 6 in
			500-738-20	0 - 8 in
	500-762-20		0 - 6 in	
	500-763-20		0 - 8 in	
	500-769-20		0 - 6 in	
	500-764-10	0 - 12 in		
	Dedicated caliper	mm	573-601-20	0 - 150 mm
			573-602-20	0 - 200 mm
			573-604	0 - 300 mm
			573-605-20	10.1 - 160 mm
			573-606-20	10.1 - 210 mm
			573-608	10.1 - 310 mm
			573-611-20	0 - 150 mm
			573-612-20	0 - 200 mm
			573-614	0 - 300 mm
			573-615-20	10.1 - 160 mm
			573-616-20	10.1 - 210 mm
			573-618	10.1 - 310 mm
			573-621-20	0 - 150 mm
573-622-20			0 - 150 mm	
573-625-20		0 - 150 mm		
573-626-20		0 - 150 mm		
573-634-20		0 - 150 mm		
573-635-20		0 - 150 mm		
573-645-20		10.1 - 160 mm		
573-646-20		20.1 - 170 mm		
573-647-20	10.1 - 160 mm			
573-648-20	20.1 - 170 mm			
Dedicated caliper	mm	573-651-20	0 - 150 mm	
		573-652-20	0 - 150 mm	
		573-653-20	0 - 150 mm	
		573-654-20	0 - 150 mm	
		573-661-20	0 - 150 mm	
		573-662-20	0 - 150 mm	
		573-676-20	0 - 150 mm	
	573-677-20	0 - 200 mm		
	573-679	0 - 300 mm		
	mm/inch	573-701-20	0 - 6 in	
		573-702-20	0 - 8 in	
573-704		0 - 12 in		
573-705-20		0.404 - 6.4 in		

U-WAVE-TC compatible Digimatic caliper/depth gage

● Water / dust-proof type

Currently available/ Discontinued products	Product name	mm/inch	Order No.	Measuring range
Currently available products	Dedicated caliper	mm/inch	573-706-20	0.404 - 8.4 in
			573-708	0.404 - 12.4 in
			573-721-20	0 - 6 in
			573-725-20	0 - 6 in
			573-734-20	0 - 6 in
			573-745-20	0.404 - 6 in
			573-746-20	0.804 - 6 in
			573-751-20	0 - 6 in
			573-752-20	0 - 6 in
	Depth gage	mm	571-251-20	0 - 150 mm
			571-252-20	0 - 200 mm
			571-253-10	0 - 300 mm
			571-254-20	10 - 160 mm (0 - 150 mm)
			571-255-20	10 - 210 mm (0 - 200 mm)
			571-301-20	150 mm
		mm/inch	571-302-20	200 mm
			571-261-20	0 - 6 in
			571-262-20	0 - 8 in
			571-263-10	0 - 12 in
			571-264-20	0.4 - 6.4 in (0 - 6 in)
			571-265-20	0.4 - 8.4 in (0 - 8 in)
			571-311-20	0 - 6 in
	Tire tread depth gage	mm	571-100-20	0 - 25 mm
		mm/inch	571-200-20	0 - 1 in
	ABSOLUTE Digimatic caliper, with nib style jaws	mm	550-301-20	0 - 200 mm (10.1 - 210 mm)
			550-331-10	0 - 300 mm (10.1 - 310 mm)
		mm/inch	550-311-20	0 - 8 in (0.404 - 8.4 in)
			550-341-10	0 - 12 in (0.404 - 12.4 in)
	ABSOLUTE Digimatic caliper, with nib style and standard Jaws	mm	551-301-20	0 - 200 mm (10.1 - 210 mm)
			551-331-10	0 - 300 mm (10.1 - 310 mm)
		mm/inch	551-311-20	0 - 8 in (0.404 - 8.4 in)
			551-341-10	0 - 12 in (0.404 - 12.4 in)
Currently available products	mm	500-150-30	0 - 100 mm	
		500-151-30	0 - 150 mm	
		500-152-30	0 - 200 mm	
		500-153	0 - 300 mm	
		500-154-30	0 - 150 mm	
		500-155-30	0 - 150 mm	
		500-156-30	0 - 200 mm	
		500-157-30	0 - 200 mm	
		500-158-30	0 - 150 mm	
		500-161-30	0 - 150 mm	
		500-162-30	0 - 200 mm	
		500-201-30	0 - 100 mm	
		500-203-30	0 - 150 mm	
		500-233-30	0 - 150 mm	
		500-234-30	0 - 150 mm	
		500-235-30	0 - 200 mm	
		500-236-30	0 - 200 mm	
		500-205	0 - 300 mm	
	mm/inch	500-167	0 - 12 in	
		500-168	0 - 12 in	
		500-170-30	0 - 4 in	
		500-171-30	0 - 6 in	
		500-172-30	0 - 8 in	

U-WAVE-TC compatible Digimatic caliper/depth gage

● Water / dust-proof type

Currently available/ Discontinued products	Product name	mm/inch	Order No.	Measuring range	
Currently available products	ABSOLUTE Digimatic caliper	mm/inch	500-173	0 - 12 in	
			500-174-30	0 - 6 in	
			500-175-30	0 - 6 in	
			500-176-30	0 - 8 in	
			500-177-30	0 - 8 in	
			500-178-30	0 - 6 in	
			500-202-30	0 - 6 in	
	500-204-30	0 - 8 in			
	Depth gage	mm	571-201-30	0 - 150 mm	
			571-202-30	0 - 200 mm	
			571-203-20	0 - 300 mm	
		mm/inch	571-211-30	0 - 6 in	
			571-212-30	0 - 8 in	
	ABSOLUTE low force caliper	mm	573-191-30	0 - 180 mm	
mm/inch		573-291-30	0 - 7 in		
Currently available products	ABSOLUTE solar caliper	mm	500-443	0 - 100 mm	
			500-444	0 - 150 mm	
			500-445	0 - 200 mm	
		mm/inch	500-463	0 - 4 in	
			500-464	0 - 6 in	
			500-465	0 - 8 in	
Discontinued products	ABSOLUTE coolant proof caliper	mm	500-712-10	0 - 150 mm	
			500-713-10	0 - 200 mm	
			500-716-11	0 - 150 mm	
			500-717-11	0 - 200 mm	
			500-719-10	0 - 150 mm	
			500-721-10	0 - 150 mm	
			500-722-10	0 - 200 mm	
			500-723-10	0 - 150 mm	
			500-724-10	0 - 200 mm	
			500-727-11	0 - 150 mm	
			500-728-11	0 - 200 mm	
			mm/inch	500-720-11	0 - 6 in
				500-735-10	0 - 6 in
				500-736-10	0 - 8 in
	500-737-10	0 - 6 in			
	500-738-10	0 - 8 in			
	500-762-10	0 - 6 in			
	500-763-10	0 - 8 in			
	500-769-10	0 - 6 in			
	Dedicated caliper	mm		573-601	0 - 150 mm
				573-602	0 - 200 mm
				573-605	10.1 - 160 mm
				573-606	10.1 - 210 mm
				573-611	0 - 150 mm
			573-612	0 - 200 mm	
			573-615	10.1 - 160 mm	
			573-616	10.1 - 210 mm	
573-621			0 - 150 mm		
573-622			0 - 150 mm		
573-625			0 - 150 mm		
573-626			0 - 150 mm		
573-634			0 - 150 mm		
573-635	0 - 150 mm				
573-645	10.1 - 160 mm				
573-646	20.1 - 170 mm				

U-WAVE-TC compatible Digimatic caliper/depth gage

● Water / dust-proof type

Currently available/ Discontinued products	Product name	mm/inch	Order No.	Measuring range
Discontinued products	Dedicated caliper	mm	573-647	10.1 - 160 mm
			573-648	20.1 - 170 mm
			573-651	0 - 150 mm
			573-652	0 - 150 mm
			573-653	0 - 150 mm
			573-654	0 - 150 mm
			573-661	0 - 150 mm
			573-662	0 - 150 mm
			573-676	0 - 150 mm
		573-677	0 - 200 mm	
		mm/inch	573-701	0 - 6 in
			573-702	0 - 8 in
			573-705	0.404 - 6.4 in
			573-706	0.404 - 8.4 in
			573-721	0 - 6 in
			573-725	0 - 6 in
			573-734	0 - 6 in
			573-745	0.404 - 6 in
			573-746	0.804 - 6 in
	573-751		0 - 6 in	
	Depth gage	mm	571-251-10	0 - 150 mm
			571-252-10	0 - 200 mm
			571-254-10	10 - 160 mm (0 - 150 mm)
			571-255-10	10 - 210 mm (0 - 200 mm)
			571-301-10	150 mm
		mm/inch	571-302-10	200 mm
			571-261-10	0 - 6 in
			571-262-10	0 - 8 in
			571-264-10	0.4 - 6.4 in (0 - 6 in)
			571-265-10	0.4 - 8.4 in (0 - 8 in)
	ABSOLUTE Digimatic caliper, with nib style jaws	mm	550-301-10	0 - 200 mm (10.1 - 210 mm)
		mm/inch	550-311-10	0 - 8 in (0.404 - 8.4 in)
ABSOLUTE Digimatic caliper, with nib style and standard jaws	mm	551-301-10	0 - 200 mm (10.1 - 210 mm)	
	mm/inch	551-311-10	0 - 8 in (0.404 - 8.4 in)	
Discontinued products	ABSOLUTE Digimatic caliper	mm	500-150-20	0 - 100 mm
			500-151-20	0 - 150 mm
			500-152-20	0 - 200 mm
			500-154-20	0 - 150 mm
			500-155-20	0 - 150 mm
			500-156-20	0 - 200 mm
			500-157-20	0 - 200 mm
			500-158-20	0 - 150 mm
			500-161-21	0 - 150 mm
			500-162-21	0 - 200 mm
			500-201-21	0 - 100 mm
			500-203-21	0 - 150 mm
			500-233-21	0 - 150 mm
			500-234-21	0 - 150 mm
		500-235-21	0 - 200 mm	
		500-236-21	0 - 200 mm	
		mm/inch	500-170-20	0 - 4 in
			500-171-20	0 - 6 in
			500-172-20	0 - 8 in

**U-WAVE-TC compatible
Digimatic caliper/depth gage**

● Water / dust-proof type

Currently available/ Discontinued products	Product name	mm/inch	Order No.	Measuring range
Discontinued products	ABSOLUTE Digimatic caliper	mm/inch	500-174-20	0 - 6 in
			500-175-20	0 - 6 in
			500-176-20	0 - 8 in
			500-177-20	0 - 8 in
			500-178-20	0 - 6 in
			500-202-21	0 - 6 in
	Depth gage	mm	571-201-20	0 - 150 mm
			571-202-20	0 - 200 mm
		mm/inch	571-211-20	0 - 6 in
			571-212-20	0 - 8 in
	ABSOLUTE low force caliper	mm	573-191-20	0 - 180 mm
		mm/inch	573-291-20	0 - 7 in