

U-WAVE-TM compatible Digimatic micrometers/heads

This list is provided with E12000(3)

Currently available/ Discontinued products	Product name	mm/inch	Order No.	Measuring range
Currently available products	QuantuMike	mm	293-140-30	0 - 25 mm
			293-141-30	25 - 50 mm
			293-142-30	50 - 75 mm
			293-143-30	75 - 100 mm
		inch/mm	293-180-30	0 - 1 in
			293-181-30	1 - 2 in
			293-182-30	2 - 3 in
	293-183-30		3 - 4 in	
	Coolant proof micrometer	mm	293-230-30	0 - 25 mm
			293-231-30	25 - 50 mm
			293-232-30	50 - 75 mm
			293-233-30	75 - 100 mm
			293-234-30	0 - 25 mm
			293-235-30	25 - 50 mm
			293-236-30	50 - 75 mm
			293-237-30	75 - 100 mm
			293-250-30	100 - 125 mm
			293-251-30	125 - 150 mm
			293-252-30	150 - 175 mm
			293-253-30	175 - 200 mm
			293-254-30	200 - 225 mm
			293-255-30	225 - 250 mm
		293-256-30	250 - 275 mm	
		293-257-30	275 - 300 mm	
		inch/mm	293-330-30	0 - 1 in
			293-331-30	1 - 2 in
			293-332-30	2 - 3 in
			293-333-30	3 - 4 in
			293-334-30	0 - 1 in
			293-335-30	0 - 1 in
			293-336-30	1 - 2 in
			293-350-30	4 - 5 in
			293-351-30	5 - 6 in
			293-352-30	6 - 7 in
			293-353-30	7 - 8 in
	293-354-30		8 - 9 in	
	293-355-30		9 - 10 in	
	V-anvil micrometer	mm	314-251-30	1 - 15 mm
			314-252-30	10 - 25 mm
			314-253-30	25 - 40 mm
			314-261-30	1 - 15 mm
			314-262-30	10 - 25 mm
		inch/mm	314-351-30	0.05 - 0.6 in
	314-352-30		0.4 - 1 in	
	314-353-30		1 - 1.6 in	
	Uni-micrometer	mm	317-251-30	0 - 25 mm
			317-252-30	25 - 50 mm
		inch/mm	317-351-30	0 - 1 in
			317-352-30	1 - 2 in
	Disk micrometer	mm	323-250-30	0 - 25 mm
323-251-30			25 - 50 mm	
323-252-30			50 - 75 mm	
323-253-30			75 - 100 mm	

U-WAVE-TM compatible Digimatic micrometers/heads

Currently available/ Discontinued products	Product name	mm/inch	Order No.	Measuring range
Currently available products	Disk micrometer	inch/mm	323-350-30	0 - 1 in
			323-351-30	1 - 2 in
			323-352-30	2 - 3 in
			323-353-30	3 - 4 in
	Gear tooth micrometer	mm	324-251-30	0 - 25 mm
			324-252-30	25 - 50 mm
			324-253-30	50 - 75 mm
			324-254-30	75 - 100 mm
		inch/mm	324-351-30	0 - 1 in
			324-352-30	1 - 2 in
			324-353-30	2 - 3 in
			324-354-30	3 - 4 in
	Screw thread micrometer with interchangeable spindle tip	mm	326-251-30	0 - 25 mm
			326-252-30	25 - 50 mm
			326-253-30	50 - 75 mm
			326-254-30	75 - 100 mm
		inch/mm	326-351-30	0 - 1 in
			326-352-30	1 - 2 in
			326-353-30	2 - 3 in
			326-354-30	3 - 4 in
	Interchangeable rod type depth micrometer	mm	329-250-30	0 - 150 mm
			329-251-30	0 - 300 mm
		inch/mm	329-350-30	0 - 6 in
			329-351-30	0 - 12 in
	Spline micrometer	mm	331-251-30	0 - 25 mm
			331-252-30	25 - 50 mm
			331-253-30	50 - 75 mm
			331-254-30	75 - 100 mm
			331-261-30	0 - 25 mm
			331-262-30	25 - 50 mm
			331-263-30	50 - 75 mm
			331-264-30	75 - 100 mm
		inch/mm	331-351-30	0 - 1 in
			331-352-30	1 - 2 in
			331-353-30	2 - 3 in
			331-354-30	3 - 4 in
			331-361-30	0 - 1 in
			331-362-30	1 - 2 in
			331-363-30	2 - 3 in
			331-364-30	3 - 4 in
Outside micrometer with interchangeable anvils	mm	340-251-30	0 - 150 mm	
		340-252-30	150 - 300 mm	
	inch/mm	340-351-30	0 - 6 in	
		340-352-30	6 - 12 in	
Point micrometer	mm	342-251-30	0 - 25 mm	
		342-252-30	25 - 50 mm	
		342-253-30	50 - 75 mm	
		342-254-30	75 - 100 mm	
		342-261-30	0 - 25 mm	
		342-262-30	25 - 50 mm	
		342-263-30	50 - 75 mm	
		342-264-30	75 - 100 mm	
	inch/mm	342-351-30	0 - 1 in	
		342-352-30	1 - 2 in	
		342-353-30	2 - 3 in	
		342-354-30	3 - 4 in	
			342-361-30	0 - 1 in

U-WAVE-TM compatible Digimatic micrometers/heads

Currently available/ Discontinued products	Product name	mm/inch	Order No.	Measuring range
Currently available products	Point micrometer	inch/mm	342-362-30	1 - 2 in
			342-363-30	2 - 3 in
			342-364-30	3 - 4 in
	Crimp height micrometer	mm	342-271-30	0 - 20 mm
		inch/mm	342-371-30	0 - 0.8 in
	Caliper type outside micrometer	mm	343-250-30	0 - 25 mm
			343-251-30	25 - 50 mm
			343-252-30	50 - 75 mm
			343-253-30	75 - 100 mm
		inch/mm	343-350-30	0 - 1 in
			343-351-30	1 - 2 in
			343-352-30	2 - 3 in
	Caliper type inside micrometer	mm	345-250-30	5 - 30 mm
			345-251-30	25 - 50 mm
		inch/mm	345-350-30	0.2 - 1.2 in
			345-351-30	1 - 2 in
	Digimatic micrometer head	mm	350-251-30	0 - 25 mm
			350-252-30	0 - 25 mm
			350-253-30	0 - 25 mm
			350-254-30	0 - 25 mm
			350-261-30	0 - 25 mm
			350-271-30	0 - 25 mm
			350-272-30	0 - 25 mm
			350-273-30	0 - 25 mm
			350-274-30	0 - 25 mm
			350-281-30	0 - 25 mm
			350-282-30	0 - 25 mm
			350-283-30	0 - 25 mm
		350-284-30	0 - 25 mm	
		inch/mm	350-351-30	0 - 1 in
			350-352-30	0 - 1 in
			350-353-30	0 - 1 in
			350-354-30	0 - 1 in
			350-357-30	0 - 1 in
			350-361-30	0 - 1 in
			350-381-30	0 - 1 in
	350-382-30		0 - 1 in	
	Disk micrometer with non-rotating spindle	mm	369-250-30	0 - 25 mm
			369-251-30	25 - 50 mm
			369-252-30	50 - 75 mm
			369-253-30	75 - 100 mm
		inch/mm	369-350-30	0 - 1 in
			369-351-30	1 - 2 in
			369-352-30	2 - 3 in
			369-353-30	3 - 4 in
	Sheet metal micrometer	mm	389-251-30	0 - 25 mm
			389-252-30	25 - 50 mm
389-261-30			0 - 25 mm	
389-262-30			25 - 50 mm	
389-271-30			0 - 25 mm	
inch/mm		389-272-30	25 - 50 mm	
		389-351-30	0 - 1 in	
		389-352-30	1 - 2 in	
			389-361-30	0 - 1 in

U-WAVE-TM compatible Digimatic micrometers/heads

Currently available/ Discontinued products	Product name	mm/inch	Order No.	Measuring range	
Currently available products	Sheet metal micrometer	inch/mm	389-362-30	1 - 2 in	
			389-371-30	0 - 1 in	
			389-372-30	1 - 2 in	
	Tube micrometer (spherical-flat)	mm	mm	395-251-30	0 - 25 mm
				395-252-30	25 - 50 mm
				395-253-30	50 - 75 mm
				395-254-30	75 - 100 mm
		inch/mm	inch/mm	395-351-30	0 - 1 in
				395-352-30	1 - 2 in
				395-353-30	2 - 3 in
	Tube micrometer (spherical and cylindrical anvil)	mm	mm	395-354-30	3 - 4 in
				395-261-30	0 - 25 mm
				395-262-30	0 - 25 mm
				395-263-30	0 - 25 mm
		inch/mm	inch/mm	395-264-30	0 - 25 mm
				395-362-30	0 - 1 in
	Tube micrometer (spherical anvil and spindle)	mm	mm	395-363-30	0 - 1 in
				395-364-30	0 - 1 in
				395-271-30	0 - 25 mm
		inch/mm	inch/mm	395-272-30	0 - 25 mm
				395-273-30	25 - 50 mm
				395-274-30	50 - 75 mm
				395-275-30	75 - 100 mm
				395-371-30	0 - 1 in
				395-372-30	1 - 2 in
				395-373-30	2 - 3 in
	Digimatic straight line micrometer outside micrometer	mm	mm	395-374-30	3 - 4 in
				406-250-30	0 - 25 mm
				406-251-30	25 - 50 mm
				406-252-30	50 - 75 mm
		inch/mm	inch/mm	406-253-30	75 - 100 mm
				406-350-30	0 - 1 in
				406-351-30	1 - 2 in
				406-352-30	2 - 3 in
				406-353-30	3 - 4 in
				Blade micrometer with non-rotating spindle	mm
	422-231-30	25 - 50 mm			
	422-232-30	50 - 75 mm			
	422-233-30	75 - 100 mm			
	422-260-30	0 - 25 mm			
	422-261-30	25 - 50 mm			
	422-270-30	0 - 25 mm			
422-271-30	0 - 25 mm				
inch/mm	inch/mm	422-330-30	0 - 1 in		
		422-331-30	1 - 2 in		
		422-332-30	2 - 3 in		
		422-333-30	3 - 4 in		
		422-360-30	0 - 1 in		
		422-361-30	1 - 2 in		
		422-370-30	0 - 1 in		
		422-371-30	0 - 1 in		
QuantuMike	mm	mm	293-140	0 - 25 mm	
			293-141	25 - 50 mm	
			293-142	50 - 75 mm	
			293-143	75 - 100 mm	
	inch/mm	inch/mm	293-180	0 - 1 in	
			293-181	1 - 2 in	
			293-182	2 - 3 in	

U-WAVE-TM compatible Digimatic micrometers/heads

Currently available/ Discontinued products	Product name	mm/inch	Order No.	Measuring range
Discontinued products	QuantuMike	inch/mm	293-183	3 - 4 in
	Coolant proof micrometer	mm	293-230	0 - 25 mm
			293-231	25 - 50 mm
			293-232	50 - 75 mm
			293-233	75 - 100 mm
			293-234	0 - 25 mm
			293-235	25 - 50 mm
			293-236	50 - 75 mm
			293-237	75 - 100 mm
			293-238	0 - 25 mm
			293-250	100 - 125 mm
			293-250-10	100 - 125 mm
			293-251	125 - 150 mm
			293-251-10	125 - 150 mm
			293-252	150 - 175 mm
			293-252-10	150 - 175 mm
			293-253	175 - 200 mm
			293-253-10	175 - 200 mm
		293-254	200 - 225 mm	
		293-254-10	200 - 225 mm	
		293-255	225 - 250 mm	
		293-255-10	225 - 250 mm	
		293-256	250 - 275 mm	
		293-256-10	250 - 275 mm	
		293-257	275 - 300 mm	
		293-257-10	275 - 300 mm	
		inch/mm	293-330	0 - 1 in
			293-331	1 - 2 in
			293-332	2 - 3 in
			293-333	3 - 4 in
			293-334	0 - 1 in
			293-335	0 - 1 in
			293-336	1 - 2 in
			293-350	4 - 5 in
	293-350-10		4 - 5 in	
	293-351		5 - 6 in	
	293-351-10		5 - 6 in	
	293-352		6 - 7 in	
	293-352-10		6 - 7 in	
	293-353		7 - 8 in	
	293-353-10		7 - 8 in	
	293-354		8 - 9 in	
	293-354-10		8 - 9 in	
	293-355	9 - 10 in		
	293-355-10	9 - 10 in		
	293-356	10 - 11 in		
	293-356-10	10 - 11 in		
293-357	11 - 12 in			
293-357-10	11 - 12 in			
V-anvil micrometer	mm	314-251	1 - 15 mm	
		314-251-10	1 - 15 mm	
		314-252	10 - 25 mm	
		314-252-10	10 - 25 mm	
		314-253	25 - 40 mm	
		314-253-10	25 - 40 mm	
314-261	1 - 15 mm			
314-261-10	1 - 15 mm			

U-WAVE-TM compatible Digimatic micrometers/heads

Currently available/ Discontinued products	Product name	mm/inch	Order No.	Measuring range
Discontinued products	V-anvil micrometer	mm	314-262	10 - 25 mm
			314-262-10	10 - 25 mm
		inch/mm	314-351	0.05 - 0.6 in
			314-351-10	0.05 - 0.6 in
			314-352	0.4 - 1 in
			314-352-10	0.4 - 1 in
			314-353	1 - 1.6 in
			314-353-10	1 - 1.6 in
			314-361	0.05 - 0.6 in
			314-361-10	0.05 - 0.6 in
	314-362	0.4 - 1 in		
	314-362-10	0.4 - 1 in		
	Uni-micrometer	mm	317-251	0 - 25 mm
			317-252	25 - 50 mm
		inch/mm	317-351	0 - 1 in
			317-352	1 - 2 in
	Disk micrometer	mm	323-250	0 - 25 mm
			323-251	25 - 50 mm
			323-252	50 - 75 mm
			323-253	75 - 100 mm
		inch/mm	323-350	0 - 1 in
			323-351	1 - 2 in
			323-352	2 - 3 in
			323-353	3 - 4 in
	Gear tooth micrometer	mm	324-251	0 - 25 mm
			324-251-10	0 - 25 mm
			324-252	25 - 50 mm
			324-252-10	25 - 50 mm
			324-253	50 - 75 mm
			324-253-10	50 - 75 mm
			324-254	75 - 100 mm
		324-254-10	75 - 100 mm	
		inch/mm	324-351	0 - 1 in
			324-351-10	0 - 1 in
			324-352	1 - 2 in
			324-352-10	1 - 2 in
			324-353	2 - 3 in
			324-353-10	2 - 3 in
	324-354		3 - 4 in	
	324-354-10	3 - 4 in		
	Micrometer with interchangeable spindle tip	mm	326-251	0 - 25 mm
			326-251-10	0 - 25 mm
326-252			25 - 50 mm	
326-252-10			25 - 50 mm	
326-253			50 - 75 mm	
326-253-10			50 - 75 mm	
326-254			75 - 100 mm	
326-254-10		75 - 100 mm		
inch/mm		326-351	0 - 1 in	
		326-351-10	0 - 1 in	
		326-352	1 - 2 in	
		326-352-10	1 - 2 in	
		326-353	2 - 3 in	
		326-353-10	2 - 3 in	
	326-354	3 - 4 in		
326-354-10	3 - 4 in			
Interchangeable rod type depth micrometer	mm	329-250	0 - 150 mm	

U-WAVE-TM compatible Digimatic micrometers/heads

Currently available/ Discontinued products	Product name	mm/inch	Order No.	Measuring range		
Discontinued products	Interchangeable rod type depth micrometer	mm	329-250-10	0 - 150 mm		
			329-251	0 - 300 mm		
			329-251-10	0 - 300 mm		
		inch/mm	329-350	0 - 6 in		
			329-350-10	0 - 6 in		
			329-351	0 - 12 in		
	329-351-10		0 - 12 in			
	Spline micrometer	mm	331-251	0 - 25 mm		
			331-252	25 - 50 mm		
			331-253	50 - 75 mm		
			331-254	75 - 100 mm		
			331-261	0 - 25 mm		
			331-262	25 - 50 mm		
			331-263	50 - 75 mm		
			331-264	75 - 100 mm		
		inch/mm	331-351	0 - 1 in		
			331-352	1 - 2 in		
			331-353	2 - 3 in		
			331-354	3 - 4 in		
			331-361	0 - 1 in		
			331-362	1 - 2 in		
	Outside micrometer with interchangeable anvils	mm	340-251	0 - 150 mm		
			340-251-10	0 - 150 mm		
			340-252	150 - 300 mm		
			340-252-10	150 - 300 mm		
		inch/mm	340-351	0 - 6 in		
			340-351-10	0 - 6 in		
			340-352	6 - 12 in		
			340-352-10	6 - 12 in		
			Point micrometer	mm	342-251	0 - 25 mm
					342-252	25 - 50 mm
	342-253	50 - 75 mm				
	342-254	75 - 100 mm				
	342-261	0 - 25 mm				
	342-262	25 - 50 mm				
	342-263	50 - 75 mm				
	342-264	75 - 100 mm				
	inch/mm	342-351	0 - 1 in			
		342-352	1 - 2 in			
		342-353	2 - 3 in			
		342-354	3 - 4 in			
		342-361	0 - 1 in			
		342-362	1 - 2 in			
		342-363	2 - 3 in			
		342-364	3 - 4 in			
	Crimp height micrometer	mm	342-271	0 - 20 mm		
		inch/mm	342-371	0 - 0.8 in		
Caliper type outside micrometer	mm	343-250	0 - 25 mm			
		343-251	25 - 50 mm			
		343-252	50 - 75 mm			
		343-253	75 - 100 mm			
	inch/mm	343-350	0 - 1 in			
		343-351	1 - 2 in			
		343-352	2 - 3 in			
		343-353	3 - 4 in			

U-WAVE-TM compatible Digimatic micrometers/heads

Currently available/ Discontinued products	Product name	mm/inch	Order No.	Measuring range
Discontinued products	Caliper type inside micrometer	mm	345-250	5 - 30 mm
			345-250-10	5 - 30 mm
			345-251	25 - 50 mm
			345-251-10	25 - 50 mm
		inch/mm	345-350	0.2 - 1.2 in
			345-350-10	0.2 - 1.2 in
			345-351	1 - 2 in
			345-351-10	1 - 2 in
	Digimatic micrometer head	mm	350-251	0 - 25 mm
			350-251-10	0 - 25 mm
			350-252	0 - 25 mm
			350-252-10	0 - 25 mm
			350-253	0 - 25 mm
			350-253-10	0 - 25 mm
			350-254	0 - 25 mm
			350-254-10	0 - 25 mm
			350-261	0 - 25 mm
			350-261-10	0 - 25 mm
			350-271	0 - 25 mm
			350-271-10	0 - 25 mm
			350-272	0 - 25 mm
			350-272-10	0 - 25 mm
			350-272-20	0 - 25 mm
			350-273	0 - 25 mm
			350-273-10	0 - 25 mm
			350-274	0 - 25 mm
			350-274-10	0 - 25 mm
			350-274-20	0 - 25 mm
		350-281	0 - 25 mm	
		350-281-10	0 - 25 mm	
		350-282	0 - 25 mm	
		350-282-10	0 - 25 mm	
		350-283	0 - 25 mm	
		350-283-10	0 - 25 mm	
		350-284	0 - 25 mm	
		350-284-10	0 - 25 mm	
		inch/mm	350-351	0 - 1 in
			350-351-10	0 - 1 in
			350-352	0 - 1 in
			350-352-10	0 - 1 in
			350-353	0 - 1 in
			350-353-10	0 - 1 in
			350-354	0 - 1 in
			350-354-10	0 - 1 in
	350-357-10		0 - 1 in	
	350-361		0 - 1 in	
	350-361-10		0 - 1 in	
350-381	0 - 1 in			
350-381-10	0 - 1 in			
350-382	0 - 1 in			
350-382-10	0 - 1 in			
350-383	0 - 1 in			
350-383-10	0 - 1 in			
350-384	0 - 1 in			
350-384-10	0 - 1 in			
Disk micrometer with non-rotating spindle	mm	369-250	0 - 25 mm	
		369-251	25 - 50 mm	

U-WAVE-TM compatible Digimatic micrometers/heads

Currently available/ Discontinued products	Product name	mm/inch	Order No.	Measuring range
Discontinued products	Disk micrometer with non-rotating spindle	mm	369-252	50 - 75 mm
			369-253	75 - 100 mm
		inch/mm	369-350	0 - 1 in
			369-351	1 - 2 in
			369-352	2 - 3 in
			369-353	3 - 4 in
	Sheet metal micrometer	mm	389-251	0 - 25 mm
			389-252	25 - 50 mm
			389-261	0 - 25 mm
			389-262	25 - 50 mm
			389-271	0 - 25 mm
			389-272	25 - 50 mm
		inch/mm	389-351	0 - 1 in
			389-352	1 - 2 in
			389-361	0 - 1 in
			389-362	1 - 2 in
			389-371	0 - 1 in
			389-372	1 - 2 in
	Tube micrometer (spherical-flat)	mm	395-251	0 - 25 mm
			395-252	25 - 50 mm
			395-253	50 - 75 mm
			395-254	75 - 100 mm
		inch/mm	395-351	0 - 1 in
			395-352	1 - 2 in
			395-353	2 - 3 in
			395-354	3 - 4 in
	Tube micrometer (spherical and cylindrical anvil)	mm	395-261	0 - 25 mm
			395-262	0 - 25 mm
			395-263	0 - 25 mm
			395-264	0 - 25 mm
		inch/mm	395-362	0 - 1 in
			395-363	0 - 1 in
	Tube micrometer (spherical anvil and spindle)	mm	395-271	0 - 25 mm
			395-272	25 - 50 mm
			395-273	0 - 75 mm
			395-274	75 - 100 mm
		inch/mm	395-371	0 - 1 in
			395-372	1 - 2 in
			395-373	2 - 3 in
			395-374	3 - 4 in
	Digimatic straight line micrometer outside micrometer	mm	406-250	0 - 25 mm
			406-251	25 - 50 mm
406-252			50 - 75 mm	
406-253			75 - 100 mm	
inch/mm		406-350	0 - 1 in	
		406-351	1 - 2 in	
		406-352	2 - 3 in	
		406-353	3 - 4 in	
Blade micrometer with non-rotating spindle	mm	422-230	0 - 25 mm	
		422-231	25 - 50 mm	
		422-232	50 - 75 mm	
		422-233	75 - 100 mm	
		422-260	0 - 25 mm	
		422-261	25 - 50 mm	
		422-270	0 - 25 mm	

**U-WAVE-TM compatible
Digimatic micrometers/heads**

Currently available/ Discontinued products	Product name	mm/inch	Order No.	Measuring range
Discontinued products	Blade micrometer with non-rotating spindle	mm	422-271	0 - 25 mm
		inch/mm	422-330	0 - 1 in
			422-331	1 - 2 in
			422-332	2 - 3 in
			422-333	3 - 4 in
			422-360	0 - 1 in
			422-361	1 - 2 in
			422-370	0 - 1 in
			422-371	0 - 1 in